

TABLE A7

Map of South Australia showing CURB Sub-regions with Local Government Areas.

New cases of cancer and standardized incidence ratios (SIR) with upper and lower 95% confidence limits (1977-1999) by site and sex for South Australian CURB Sub-regions.

See METHODS for ICD-02 coding key.

South Australia showing CURB Sub-regions with Local Government Areas.
(Map rev. 1985)

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

		CURB SUB-REGIONS																				
SITE		CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
BUCCAL CAVITY																						
MALE		537	541	447	608	110	13	53	91	113	61	146	124	57	122	129	27	87	2	140	103	12
SIR		888	846	732	868	1262	1211	1068	1259	1397	1080	1620	1501	1182	1271	1902	1832	1516	1243	1893	1909	500
UPPER		967	922	804	941	1527	2087	1408	1554	1686	1397	1911	1796	1543	1524	2267	2668	1879	0	2241	2325	880
LOWER		815	777	667	801	1042	637	808	1020	1156	833	1372	1253	903	1060	1594	1211	1221	0	1598	1566	254
FEMALE		194	230	273	270	24	5	14	25	39	23	40	32	21	30	47	6	26	2	37	28	4
SIR		962	891	926	929	772	1662	820	958	1331	1107	1371	1187	1292	885	2112	1548	1449	4383	1364	1679	1056
UPPER		1109	1016	1044	1048	1149	0	1386	1415	1823	1660	1872	1679	1973	1266	2816	0	2124	0	1884	2430	0
LOWER		833	781	821	823	496	0	444	622	950	703	984	815	801	600	1558	0	949	0	964	1120	0
LIP																						
MALE		376	341	293	415	80	12	41	61	82	47	112	108	48	98	107	23	68	1	113	83	7
SIR		862	755	671	827	1282	1561	1145	1199	1441	1169	1744	1830	1385	1423	2202	2157	1648	882	2149	2136	398
UPPER		955	840	753	912	1604	2746	1557	1550	1799	1559	2106	2219	1842	1742	2672	3235	2103	0	2594	2661	0
LOWER		778	678	597	751	1023	793	825	925	1154	863	1442	1508	1026	1161	1813	1370	1290	0	1779	1711	0
FEMALE		95	132	141	152	16	4	11	19	23	18	26	23	12	16	41	5	20	1	29	18	2
SIR		813	876	798	888	876	2302	1099	1251	1343	1472	1533	1461	1260	809	3157	2223	1930	3732	1822	1860	927
UPPER		998	1042	945	1044	1414	0	1979	1948	2014	2318	2247	2191	2217	1306	4294	0	2974	0	2620	2930	0
LOWER		661	736	675	755	498	0	536	753	853	871	1004	928	640	460	2275	0	1179	0	1225	1101	0
TONGUE																						
MALE		56	69	50	71	10	0	4	9	9	4	14	4	5	12	13	1	4	0	9	4	4
SIR		950	1047	834	1021	1157	0	831	1192	1060	705	1545	486	1061	1269	1935	703	708	0	1207	762	1803
UPPER		1243	1333	1109	1296	2140	0	0	0	0	0	2614	0	0	2233	3335	0	0	0	0	0	0
LOWER		724	821	625	803	538	0	0	0	0	0	837	0	0	645	1018	0	0	0	0	0	0
FEMALE		28	37	44	37	3	0	2	1	5	4	4	4	3	4	2	0	1	0	1	5	0
SIR		1008	1048	1151	947	719	0	867	279	1252	1436	1000	1091	1366	871	660	0	404	0	274	2187	0
UPPER		1458	1448	1549	1308	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER		672	741	840	670	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SALIVARY GLAND																						
MALE		34	46	39	49	4	1	2	6	8	4	7	5	1	5	3	1	4	0	4	1	0
SIR		930	1114	963	1100	721	1480	647	1261	1514	1091	1225	943	325	833	699	1095	1155	0	845	299	0
UPPER		1302	1489	1320	1463	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER		647	819	688	817	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE		23	27	26	24	3	0	1	2	2	1	3	2	4	4	0	0	3	1	0	2	0
SIR		1136	1138	996	889	1028	0	604	834	748	522	1073	776	2595	1226	0	0	1650	23095	0	1216	0
UPPER		1705	1657	1461	1322	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER		722	753	653	571	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

		C U R B S U B - R E G I O N S																			
SITE	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
GUM																					
MALE	4	4	12	6	1	0	0	1	2	1	3	0	1	0	1	1	2	0	2	0	0
SIR	634	507	1592	744	996	0	0	1089	1953	1461	2857	0	1811	0	1309	6555	3303	0	2270	0	0
UPPER	0	0	2801	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	809	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	8	4	9	9	0	0	0	0	2	0	0	0	0	0	2	0	0	0	1	1	1
SIR	1743	554	1016	1134	0	0	0	0	2415	0	0	0	0	0	3505	0	0	0	1368	2507	14513
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FLOOR OF MOUTH																					
MALE	28	47	31	31	7	0	2	10	7	3	5	3	2	3	2	1	4	0	5	9	1
SIR	814	1255	917	784	1419	0	729	2364	1465	930	964	639	741	554	520	1232	1215	0	1171	2974	762
UPPER	1178	1673	1304	1115	0	0	0	4371	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	543	926	626	535	0	0	0	1099	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	10	9	17	16	0	0	0	2	2	0	4	1	2	3	0	0	1	0	2	2	0
SIR	978	649	1155	1068	0	0	0	1395	1253	0	2616	720	2411	1730	0	0	1099	0	1410	2341	0
UPPER	1808	0	1841	1724	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	455	0	671	608	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER & UNSPEC PARTS OF MOUTH																					
MALE	39	34	22	36	8	0	4	4	5	2	5	4	0	4	3	0	5	1	7	6	0
SIR	1193	975	690	970	1731	0	1528	1023	1128	663	1021	905	0	777	828	0	1594	10311	1738	2083	0
UPPER	1635	1365	1044	1346	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	852	678	433	682	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	30	21	36	32	2	1	0	1	5	0	3	2	0	3	2	1	1	0	4	0	1
SIR	1364	770	1187	1046	608	3068	0	363	1618	0	958	694	0	825	840	2369	508	0	1392	0	2320
UPPER	1950	1175	1646	1480	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	924	477	835	719	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OROPHARYNX																					
MALE	39	59	46	47	8	2	3	10	6	6	14	11	1	12	5	0	5	0	8	10	3
SIR	799	1069	904	803	1099	2216	742	1570	840	1252	1842	1587	252	1525	892	0	1076	0	1276	2292	1643
UPPER	1095	1389	1209	1071	0	0	0	2903	0	0	3116	2858	0	2682	0	0	0	0	0	4237	0
LOWER	570	821	665	593	0	0	0	730	0	0	998	775	0	775	0	0	0	0	0	1066	0
FEMALE	19	12	16	23	1	0	0	2	3	0	2	2	0	3	1	0	0	0	1	1	1
SIR	1392	726	931	1257	506	0	0	1181	1600	0	1044	1143	0	1371	692	0	0	0	579	907	3755
UPPER	2168	1277	1504	1885	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	838	369	530	799	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
NASOPHARYNX																					
MALE	16	21	21	15	1	0	2	3	1	2	1	1	0	5	2	1	2	0	3	2	0
SIR	927	1175	1253	761	410	0	1409	1483	439	1270	391	431	0	1826	1045	2366	1214	0	1439	1307	0
UPPER	1496	1794	1914	1265	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	527	728	777	423	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	5	8	9	3	0	0	0	0	2	0	0	1	0	1	0	0	1	0	0	0	0
SIR	942	1488	1623	475	0	0	0	0	3326	0	0	1609	0	1261	0	0	2089	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYPOPHARYNX																					
MALE	26	32	35	29	8	1	3	2	6	6	8	8	5	5	5	0	7	1	6	1	0
SIR	816	866	1055	759	1682	1689	1154	470	1254	1903	1603	1766	1938	974	1368	0	2292	11051	1453	353	0
UPPER	1197	1225	1471	1091	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	535	595	738	510	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	8	5	11	8	0	0	1	0	1	0	0	0	0	0	1	0	1	0	0	1	0
SIR	1444	698	1472	1023	0	0	2139	0	1237	0	0	0	0	0	1636	0	1997	0	0	2161	0
UPPER	0	0	2651	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	719	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNSPEC SITES - LIP, ORAL CAVITY & PHARYNX																					
MALE	3	9	10	10	0	0	0	3	0	0	1	1	1	2	2	0	2	0	2	0	0
SIR	433	1010	1197	1088	0	0	0	2803	0	0	853	920	1631	1693	2340	0	3037	0	2046	0	0
UPPER	0	0	2212	2012	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	556	506	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	2	4	1	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0
SIR	651	940	1657	430	0	0	0	0	4125	0	4293	4687	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DIGESTIVE ORGANS																					
MALE	2523	2972	2863	3380	332	49	182	396	407	237	320	327	181	444	290	48	244	9	338	231	32
SIR	1061	977	979	1073	848	1019	869	1089	1012	891	793	869	851	1087	979	811	1080	1505	1003	1047	399
UPPER	1104	1013	1016	1110	946	1355	1008	1204	1116	1014	886	969	987	1195	1100	1079	1227	0	1117	1193	565
LOWER	1021	943	944	1037	760	757	750	986	917	783	710	778	733	990	871	601	951	0	900	918	274
FEMALE	1873	2501	2890	3070	271	32	170	288	284	204	234	241	135	299	233	31	186	3	272	152	22
SIR	1021	966	970	1078	902	1134	1065	1094	959	989	833	929	866	928	1095	892	1140	689	1023	981	694
UPPER	1068	1005	1006	1117	1018	1603	1241	1229	1079	1137	949	1056	1028	1041	1247	1269	1319	0	1154	1154	1050
LOWER	975	929	935	1041	799	779	913	973	852	860	731	817	729	827	961	609	985	0	907	834	436

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	C U R B S U B - R E G I O N S																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
OESOPHAGUS																					
MALE	168	187	142	169	19	3	11	29	27	14	34	29	8	40	21	0	17	0	15	19	4
SIR	1176	1012	802	887	802	1032	874	1311	1103	869	1393	1273	623	1626	1175	0	1252	0	734	1432	838
UPPER	1372	1171	948	1034	1250	0	1573	1886	1606	1469	1951	1831	0	2220	1794	0	1995	0	1221	2230	0
LOWER	1008	875	678	761	483	0	426	881	729	471	969	856	0	1167	728	0	727	0	408	862	0
FEMALE	72	79	123	118	7	2	7	7	10	5	10	12	4	12	11	2	16	0	14	5	0
SIR	1086	780	1038	1070	608	1893	1164	675	858	623	940	1223	676	985	1362	1573	2720	0	1366	869	0
UPPER	1375	978	1243	1286	0	0	0	0	1587	0	1738	2153	0	1733	2454	0	4392	0	2311	0	0
LOWER	856	622	866	889	0	0	0	0	399	0	437	622	0	501	665	0	1548	0	740	0	0
STOMACH																					
MALE	447	481	432	535	49	13	31	55	46	23	48	44	29	65	42	9	43	1	53	33	4
SIR	1217	1004	929	1078	794	1717	945	954	723	547	759	742	866	1020	905	979	1236	1126	1001	961	328
UPPER	1337	1099	1022	1174	1056	2958	1344	1251	967	821	1009	999	1246	1308	1227	0	1670	0	1320	1352	0
LOWER	1108	918	845	989	590	903	645	725	532	348	562	542	582	793	655	0	899	0	757	664	0
FEMALE	217	312	299	257	22	4	9	22	19	17	20	23	13	29	23	2	23	0	23	20	2
SIR	1221	1190	951	888	724	1445	568	830	632	809	717	887	831	902	1085	592	1466	0	855	1316	680
UPPER	1398	1332	1067	1005	1096	0	0	1256	984	1289	1104	1330	1433	1297	1627	0	2198	0	1282	2029	0
LOWER	1066	1063	848	784	455	0	0	521	380	470	438	563	437	606	689	0	931	0	543	804	0
SMALL INTESTINE, INCL. DUODENUM																					
MALE	26	40	33	34	1	1	3	2	6	1	5	1	5	3	1	0	2	0	4	4	0
SIR	951	1235	1069	992	235	1914	1287	526	1416	352	1138	246	2154	661	306	0	767	0	1101	1608	0
UPPER	1395	1686	1505	1389	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	623	886	739	690	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	8	24	27	31	3	1	1	2	1	1	2	5	2	3	0	2	0	0	3	0	0
SIR	457	1080	1141	1266	1149	3811	689	873	395	568	792	2165	1450	1037	0	6106	0	0	1304	0	0
UPPER	0	1607	1662	1800	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	694	754	864	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LARGE INTESTINE, EXCEPT RECTUM																					
MALE	854	1025	1047	1278	127	12	61	144	152	82	99	109	61	137	113	18	87	5	105	82	12
SIR	1013	951	1006	1143	913	705	821	1117	1065	868	692	815	808	946	1074	857	1085	2351	878	1047	422
UPPER	1084	1011	1069	1208	1090	1240	1063	1319	1252	1083	846	987	1045	1122	1296	1350	1345	0	1067	1307	742
LOWER	947	894	946	1081	764	358	634	945	905	695	565	672	623	797	889	507	874	0	721	838	214
FEMALE	849	1022	1240	1453	130	16	79	131	136	84	91	114	60	133	104	13	62	1	114	69	6
SIR	1040	896	948	1158	981	1282	1118	1130	1044	925	733	993	871	933	1105	842	852	519	972	1004	422
UPPER	1113	953	1003	1220	1168	2070	1400	1345	1239	1151	904	1198	1129	1110	1344	1451	1100	0	1172	1279	0
LOWER	972	842	897	1100	823	729	891	948	879	742	593	823	670	784	907	443	659	0	805	787	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

		CURB SUB-REGIONS																				
SITE		CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
HEPATIC FLEXURE																						
MALE		37	36	48	54	4	0	2	6	5	2	0	4	3	6	5	1	7	0	3	5	0
SIR		1090	821	1124	1189	704	0	669	1138	858	518	0	732	981	1026	1168	1186	2171	0	617	1579	0
UPPER		1506	1139	1494	1564	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER		771	577	832	902	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE		42	32	42	54	3	1	6	7	8	3	0	3	1	3	1	0	4	0	0	1	0
SIR		1432	784	911	1202	635	2198	2358	1677	1719	927	0	730	405	588	296	0	1533	0	0	405	0
UPPER		1940	1108	1235	1581	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER		1036	538	660	912	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TRANSVERSE COLON																						
MALE		60	74	73	98	8	0	4	10	19	8	19	9	6	13	9	2	10	1	15	9	0
SIR		868	872	888	1103	721	0	670	998	1706	1070	1661	844	992	1117	1070	1183	1521	5689	1572	1421	0
UPPER		1125	1101	1123	1350	0	0	0	1845	2657	0	2587	0	0	1924	0	0	2812	0	2614	0	0
LOWER		668	689	701	900	0	0	0	464	1027	0	1000	0	0	587	0	0	707	0	874	0	0
FEMALE		75	117	124	136	13	1	6	11	14	6	11	11	15	15	11	2	6	0	8	5	0
SIR		888	1039	985	1094	984	784	837	956	1089	669	879	954	2172	1045	1161	1259	794	0	686	713	0
UPPER		1119	1249	1179	1298	1696	0	0	1721	1841	0	1583	1719	3613	1737	2091	0	0	0	0	0	0
LOWER		703	863	823	921	518	0	0	467	590	0	429	466	1208	581	567	0	0	0	0	0	0
DESCENDING COLON																						
MALE		76	66	91	92	11	0	6	12	17	5	8	8	9	12	10	1	8	0	11	11	1
SIR		1097	758	1092	1013	973	0	988	1153	1476	656	689	739	1473	1016	1170	581	1217	0	1137	1716	423
UPPER		1381	970	1347	1248	1753	0	0	2029	2353	0	0	0	0	1788	2163	0	0	0	2047	3090	0
LOWER		870	591	884	821	475	0	0	586	858	0	0	0	0	516	544	0	0	0	555	837	0
FEMALE		61	63	68	95	9	0	3	8	6	5	5	6	8	7	13	2	10	0	10	8	1
SIR		1039	855	844	1165	1024	0	624	1069	714	850	595	775	1732	727	2051	1844	1900	0	1294	1676	900
UPPER		1344	1101	1077	1431	0	0	0	0	0	0	0	0	0	0	3535	0	3513	0	2392	0	0
LOWER		801	662	661	948	0	0	0	0	0	0	0	0	0	0	1079	0	884	0	602	0	0
SIGMOID COLON																						
MALE		316	423	374	473	55	4	22	64	56	38	37	45	15	44	42	9	30	1	30	31	8
SIR		995	1034	958	1121	1052	621	787	1308	1034	1068	685	894	528	805	1059	1134	991	1225	665	1051	754
UPPER		1113	1139	1061	1228	1379	0	1191	1681	1352	1470	946	1199	878	1083	1435	0	1418	0	951	1494	0
LOWER		890	939	864	1024	800	0	494	1015	788	759	484	655	294	587	767	0	672	0	450	717	0
FEMALE		260	322	345	442	43	5	19	30	36	25	35	38	17	36	39	4	20	0	43	15	0
SIR		1025	940	910	1176	1080	1293	882	857	922	922	924	1090	815	832	1363	836	884	0	1222	711	0
UPPER		1159	1050	1013	1292	1458	0	1373	1226	1280	1362	1289	1500	1300	1154	1868	0	1362	0	1651	1182	0
LOWER		906	842	818	1070	785	0	531	581	649	598	647	775	474	585	974	0	540	0	888	395	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

		CURB SUB-REGIONS																			
SITE	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
CAECUM																					
MALE	167	193	204	272	21	5	13	23	23	15	16	20	11	28	19	3	9	1	24	9	0
SIR	1056	931	1003	1265	783	1532	916	919	834	820	583	774	758	1014	943	755	601	2594	1043	606	0
UPPER	1232	1075	1154	1427	1196	0	1579	1379	1251	1364	942	1194	1365	1467	1469	0	0	0	1552	0	0
LOWER	905	807	873	1121	486	0	482	584	530	456	332	473	370	676	568	0	0	0	670	0	0
FEMALE	203	242	322	383	30	4	22	39	26	21	25	19	10	38	14	2	10	0	27	20	1
SIR	1080	852	951	1230	921	1360	1299	1354	798	926	834	683	596	1104	615	559	600	0	932	1233	331
UPPER	1241	968	1062	1362	1317	0	1966	1855	1170	1414	1232	1064	1102	1520	1041	0	1109	0	1357	1901	0
LOWER	938	749	851	1112	624	0	816	967	523	574	541	411	277	785	333	0	279	0	616	754	0
APPENDIX																					
MALE	9	9	8	10	1	1	0	1	2	0	0	0	0	1	1	0	2	0	3	1	0
SIR	1045	1022	948	1034	831	6758	0	1027	1822	0	0	0	0	742	1053	0	2439	0	2918	1308	0
UPPER	0	0	0	1912	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	481	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	13	9	15	17	0	0	3	1	1	0	0	1	1	2	0	0	1	0	2	3	1
SIR	982	741	1191	1172	0	0	2991	844	767	0	0	676	1130	1029	0	0	820	0	1452	2869	3228
UPPER	1693	0	1981	1868	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	517	0	663	681	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ASCENDING COLON																					
MALE	117	124	142	164	14	2	11	18	13	9	9	8	8	17	21	1	13	1	12	10	1
SIR	1092	904	1062	1151	788	922	1164	1097	716	745	494	468	829	924	1569	377	1277	3782	787	1006	274
UPPER	1313	1082	1256	1344	1332	0	2095	1728	1234	0	0	0	0	1473	2396	0	2200	0	1384	1860	0
LOWER	907	755	898	984	427	0	568	649	377	0	0	0	0	537	973	0	672	0	400	468	0
FEMALE	120	144	191	214	21	2	11	26	27	15	6	20	5	20	20	1	6	1	15	12	1
SIR	1029	845	954	1144	1069	1110	1065	1504	1385	1104	330	1186	492	956	1447	452	578	3546	860	1206	516
UPPER	1235	998	1101	1311	1632	0	1918	2206	2017	1836	0	1828	0	1474	2230	0	0	0	1430	2122	0
LOWER	857	715	825	998	662	0	520	986	916	614	0	725	0	585	884	0	0	0	478	613	0
SPLenic FLEXURE																					
MALE	39	51	58	61	6	0	1	5	8	4	6	9	1	11	3	0	1	1	2	1	1
SIR	937	990	1195	1138	904	0	279	819	1180	894	873	1414	277	1571	592	0	252	9342	350	262	699
UPPER	1285	1312	1556	1473	0	0	0	0	0	0	0	0	0	2830	0	0	0	0	0	0	0
LOWER	670	744	916	878	0	0	0	0	0	0	0	0	0	767	0	0	0	0	0	0	0
FEMALE	41	41	45	47	7	1	4	5	10	1	4	1	1	4	2	2	1	0	2	3	1
SIR	1258	958	951	1000	1392	2076	1468	1152	2056	294	836	227	380	732	554	3283	342	0	450	1114	1676
UPPER	1711	1303	1276	1334	0	0	0	0	3800	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	907	690	697	738	0	0	0	0	956	0	0	0	0	0	0	0	0	0	0	0	0

359

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
OTHER																					
MALE	7	13	7	15	1	0	2	3	4	0	1	2	3	1	1	0	1	0	1	1	0
SIR	728	1074	609	1196	644	0	2384	2077	2497	0	621	1338	3569	608	844	0	1084	0	746	1126	0
UPPER	0	1850	0	1989	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	565	0	665	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	7	14	10	16	0	0	1	1	1	0	1	1	0	1	1	0	2	0	1	0	0
SIR	959	1271	738	1312	0	0	1509	902	798	0	862	918	0	744	1127	0	3062	0	885	0	0
UPPER	0	2150	1364	2119	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	689	343	747	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COLON, UNSPECIFIED																					
MALE	26	36	42	39	6	0	0	2	5	1	3	4	5	4	2	1	6	0	4	4	1
SIR	923	986	1144	1024	1258	0	0	456	1034	307	618	868	1928	816	558	1419	2239	0	980	1516	1057
UPPER	1353	1369	1551	1403	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	605	694	828	731	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	27	38	78	49	4	2	4	3	7	8	4	14	2	7	3	0	2	0	6	2	1
SIR	836	751	1232	878	681	3947	1349	591	1196	1961	760	2859	673	1155	750	0	704	0	1152	708	1973
UPPER	1218	1034	1546	1168	0	0	0	0	0	0	0	4836	0	0	0	0	0	0	0	0	0
LOWER	553	534	980	653	0	0	0	0	0	0	0	1550	0	0	0	0	0	0	0	0	0
RECTUM, RECTOSIGMOID JUNCTION AND ANAL CANAL																					
MALE	603	711	728	832	84	14	47	102	110	66	65	89	50	132	66	6	47	3	89	52	3
SIR	1008	950	1028	1072	873	1178	906	1149	1116	1015	652	964	954	1301	902	406	825	1934	1071	945	146
UPPER	1093	1023	1106	1148	1087	1992	1208	1401	1351	1299	836	1192	1268	1548	1155	0	1101	0	1324	1249	0
LOWER	930	882	955	1001	701	638	668	942	922	791	507	778	715	1093	703	0	609	0	865	713	0
FEMALE	366	539	625	665	56	3	36	60	73	49	47	46	37	64	48	6	44	1	50	33	4
SIR	887	983	1031	1102	872	480	1035	1072	1167	1126	770	819	1102	916	1042	774	1196	1057	883	965	530
UPPER	984	1071	1115	1190	1141	0	1436	1390	1476	1497	1027	1096	1522	1178	1385	0	1610	0	1175	1359	0
LOWER	799	903	952	1021	665	0	728	825	921	837	568	602	779	711	771	0	873	0	663	667	0
RECTOSIGMOID JUNCTION																					
MALE	150	183	185	194	27	2	10	21	29	19	9	21	25	30	14	0	8	1	26	12	0
SIR	1012	984	1058	1009	1135	679	779	953	1185	1180	364	920	1927	1193	772	0	567	2600	1264	880	0
UPPER	1191	1140	1225	1164	1653	0	1440	1455	1705	1838	0	1404	2846	1706	1306	0	0	0	1853	1549	0
LOWER	860	849	914	875	750	0	362	591	797	710	0	570	1251	808	418	0	0	0	828	447	0
FEMALE	87	136	171	177	21	1	9	15	19	10	11	9	10	18	10	2	13	0	10	7	3
SIR	804	957	1104	1133	1262	611	990	1030	1172	889	692	617	1146	990	833	981	1345	0	682	782	1505
UPPER	996	1136	1286	1316	1927	0	0	1713	1826	1643	1246	0	2119	1559	1540	0	2318	0	1260	0	0
LOWER	648	806	947	975	782	0	0	573	705	413	338	0	533	586	387	0	707	0	317	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

		CURB SUB-REGIONS																			
SITE	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
RECTUM																					
MALE	442	512	523	621	57	11	37	77	80	46	54	66	25	101	51	6	34	2	60	40	2
SIR	1012	937	1011	1096	811	1267	975	1188	1112	968	741	978	653	1363	954	556	818	1765	989	995	133
UPPER	1112	1023	1102	1186	1059	2281	1348	1494	1392	1295	975	1252	965	1664	1265	0	1146	0	1281	1358	0
LOWER	921	859	927	1012	620	618	690	944	888	712	562	762	424	1116	718	0	569	0	761	714	0
FEMALE	246	374	420	457	35	2	26	41	52	35	34	36	26	45	37	4	29	1	37	25	1
SIR	872	990	1000	1100	792	466	1091	1065	1206	1168	811	933	1126	938	1170	754	1154	1538	950	1068	194
UPPER	990	1097	1102	1207	1104	0	1599	1448	1595	1628	1136	1295	1652	1259	1616	0	1660	0	1313	1577	0
LOWER	768	894	908	1002	554	0	715	767	910	817	564	656	738	688	827	0	776	0	672	693	0
ANAL CANAL																					
MALE	9	11	14	6	0	1	0	3	0	0	0	1	0	0	1	0	2	0	2	0	1
SIR	1121	1127	1510	598	0	6563	0	2677	0	0	0	833	0	0	1045	0	2582	0	1842	0	3438
UPPER	0	2030	2553	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	550	818	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	22	23	28	19	0	0	0	3	1	1	2	1	1	1	0	0	1	0	1	1	0
SIR	1369	1149	1310	860	0	0	0	1469	441	629	871	474	798	382	0	0	694	0	479	767	0
UPPER	2071	1723	1895	1339	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	860	730	874	518	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANORECTAL JUNCTION																					
MALE	2	5	6	11	0	0	0	1	1	1	2	1	0	1	0	0	3	0	1	0	0
SIR	393	736	894	1582	0	0	0	1230	1112	1670	2244	1189	0	1123	0	0	6186	0	1331	0	0
UPPER	0	0	0	2850	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	772	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	11	6	6	12	0	0	1	1	1	3	0	0	0	0	1	0	1	0	2	0	0
SIR	1759	702	588	1252	0	0	1847	1166	1032	4329	0	0	0	0	1397	0	1805	0	2241	0	0
UPPER	3168	0	0	2203	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	859	0	0	636	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LIVER & INTRAHEPATIC BILE DUCTS																					
MALE	73	101	76	88	6	1	4	11	9	6	15	6	5	5	7	5	8	0	4	6	3
SIR	1072	1205	960	1005	553	746	679	1106	815	820	1338	577	845	434	842	2937	1234	0	429	955	1294
UPPER	1356	1471	1208	1245	0	0	0	1991	0	0	2225	0	0	0	0	0	0	0	0	0	0
LOWER	846	987	761	811	0	0	0	540	0	0	744	0	0	0	0	0	0	0	0	0	0
FEMALE	31	46	35	35	2	0	0	3	3	3	6	2	2	3	0	0	2	0	5	2	4
SIR	1125	1326	907	897	478	0	0	844	759	1071	1516	548	909	653	0	0	808	0	1367	875	7716
UPPER	1600	1773	1264	1250	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	768	975	634	627	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
GALLBLADDER & BILE DUCTS																					
MALE	81	103	78	88	11	0	3	10	10	9	11	9	6	16	6	2	10	0	15	9	1
SIR	1172	1108	860	921	929	0	479	890	809	1104	903	786	928	1309	672	1138	1528	0	1466	1376	454
UPPER	1465	1350	1079	1140	1673	0	0	1646	1495	0	1626	0	0	2114	0	0	2824	0	2438	0	0
LOWER	937	909	684	743	453	0	0	414	376	0	441	0	0	745	0	0	710	0	816	0	0
FEMALE	93	154	149	148	17	4	11	17	15	16	17	11	1	16	15	2	12	0	21	13	5
SIR	964	1074	881	941	1031	2653	1274	1164	911	1399	1117	780	118	915	1297	1089	1403	0	1434	1570	3177
UPPER	1186	1261	1038	1109	1644	0	2294	1855	1514	2259	1780	1405	0	1477	2158	0	2468	0	2189	2705	0
LOWER	782	914	748	798	599	0	622	676	506	796	649	381	0	521	722	0	713	0	889	826	0
PANCREAS																					
MALE	236	286	279	303	29	4	18	37	41	31	36	34	13	40	26	7	24	0	47	23	2
SIR	1044	978	990	1002	771	866	899	1055	1057	1212	930	940	638	1025	917	1245	1118	0	1452	1093	265
UPPER	1189	1100	1115	1123	1109	0	1416	1457	1438	1723	1291	1317	1099	1399	1345	0	1664	0	1936	1639	0
LOWER	917	869	879	894	519	0	532	746	762	827	655	654	335	735	601	0	719	0	1071	694	0
FEMALE	195	273	312	301	26	1	20	31	22	24	28	19	12	30	24	3	23	1	30	9	0
SIR	1099	1009	971	1017	842	355	1247	1127	708	1115	985	721	755	920	1112	884	1467	2295	1093	587	0
UPPER	1267	1138	1087	1140	1235	0	1922	1602	1072	1660	1425	1123	1328	1315	1655	0	2200	0	1563	0	0
LOWER	953	895	868	907	552	0	762	769	445	716	657	434	384	623	715	0	932	0	741	0	0
UNSPECIFIED SITES - DIGESTIVE ORGANS																					
MALE	35	38	48	53	6	1	4	6	6	5	7	6	4	6	8	1	6	0	6	3	3
SIR	985	778	972	1051	951	1316	1221	1008	918	1147	1094	983	1167	945	1710	1117	1790	0	1109	886	2658
UPPER	1373	1070	1292	1385	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	689	553	720	795	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	42	52	80	62	8	1	7	15	5	5	13	9	4	9	8	1	4	0	12	1	1
SIR	979	793	987	856	1050	1497	1798	2277	661	945	1887	1403	1031	1134	1529	1226	1062	0	1775	269	1462
UPPER	1327	1049	1236	1105	0	0	0	3787	0	0	3251	0	0	0	0	0	0	0	3124	0	0
LOWER	709	598	788	662	0	0	0	1266	0	0	992	0	0	0	0	0	0	0	902	0	0
RESPIRATORY ORGANS																					
MALE	2113	2530	1864	2383	197	26	101	244	249	141	275	220	120	295	201	42	236	6	244	201	45
SIR	1201	1109	872	1019	682	724	654	894	824	717	918	793	765	974	917	958	1408	1328	976	1232	775
UPPER	1253	1153	913	1061	786	1062	798	1015	934	848	1035	907	919	1094	1056	1298	1603	0	1109	1417	1040
LOWER	1150	1066	833	979	592	475	535	787	726	606	814	693	637	868	797	693	1237	0	859	1070	568
FEMALE	723	677	650	876	49	8	30	79	70	36	62	67	33	88	45	14	69	2	64	54	3
SIR	1344	944	846	1119	591	968	661	1068	856	639	777	919	757	968	748	1379	1434	1671	874	1209	305
UPPER	1446	1018	914	1196	786	0	945	1338	1088	887	1004	1174	1066	1198	1004	2332	1826	0	1123	1589	0
LOWER	1248	875	783	1047	439	0	448	851	672	449	601	717	524	781	548	747	1124	0	678	917	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

		CURB SUB-REGIONS																			
SITE	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
NOSE, NASAL CAVITIES, MIDDLE EAR & ACCESSORY SINUSES																					
MALE	13	21	19	36	0	0	2	1	4	1	4	3	3	3	2	1	3	0	2	1	0
SIR	657	948	923	1522	0	0	1220	391	1398	516	1313	1071	1866	936	873	2050	1584	0	797	560	0
UPPER	1132	1447	1437	2111	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	345	588	555	1070	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	9	14	15	12	0	0	1	1	3	0	1	3	1	4	1	0	2	0	2	0	0
SIR	844	1088	1064	818	0	0	1123	754	2030	0	665	2190	1210	2303	878	0	2134	0	1463	0	0
UPPER	0	1840	1769	1439	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	589	592	416	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LARYNX																					
MALE	167	213	143	171	25	3	4	26	22	8	21	16	8	18	22	5	15	1	16	18	4
SIR	1130	1194	891	931	1104	1057	323	1248	945	528	883	739	649	737	1260	1387	1059	2424	813	1349	770
UPPER	1318	1368	1053	1085	1631	0	0	1830	1429	0	1348	1194	0	1161	1907	0	1762	0	1313	2124	0
LOWER	968	1042	754	799	717	0	0	818	593	0	547	421	0	436	791	0	589	0	463	798	0
FEMALE	26	22	18	16	0	0	1	1	2	1	1	4	1	3	2	0	7	0	3	1	0
SIR	1510	1041	867	704	0	0	731	458	834	610	410	1810	766	1091	1101	0	4492	0	1384	719	0
UPPER	2214	1575	1365	1137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	990	654	513	401	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TRACHEA, BRONCHUS & LUNG																					
MALE	1844	2184	1618	2065	165	22	88	211	218	130	245	195	106	269	172	34	198	5	216	163	41
SIR	1216	1100	868	1016	657	706	657	886	827	759	942	808	779	1026	905	897	1372	1295	995	1155	827
UPPER	1273	1148	911	1061	768	1068	814	1016	947	905	1070	932	946	1158	1053	1256	1580	0	1139	1351	1125
LOWER	1161	1055	826	973	563	443	530	772	723	637	830	701	640	909	777	624	1190	0	869	988	596
FEMALE	676	625	605	827	48	8	26	74	65	34	58	59	29	79	40	14	57	2	59	52	3
SIR	1360	936	843	1135	623	1045	618	1074	853	648	784	871	717	936	716	1491	1282	1805	866	1257	332
UPPER	1467	1013	913	1216	829	0	906	1356	1095	908	1021	1132	1031	1173	978	2521	1673	0	1126	1661	0
LOWER	1260	864	778	1060	462	0	405	849	664	451	600	669	482	746	514	808	980	0	665	948	0
PLEURA																					
MALE	89	112	84	111	7	1	7	6	5	2	5	6	3	5	5	2	20	0	10	19	0
SIR	1177	1159	924	1118	570	657	1063	523	393	239	392	509	447	388	537	1074	2778	0	941	2729	0
UPPER	1455	1401	1150	1351	0	0	0	0	0	0	0	0	0	0	0	0	4282	0	1739	4250	0
LOWER	950	959	741	924	0	0	0	0	0	0	0	0	0	0	0	0	1698	0	437	1642	0
FEMALE	12	16	12	21	1	0	2	3	0	1	2	1	2	2	2	0	3	0	0	1	0
SIR	925	1045	762	1235	544	0	1920	1914	0	824	1112	607	2041	972	1475	0	2581	0	0	961	0
UPPER	1627	1687	1341	1885	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	470	595	387	765	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
THYMUS, HEART AND MEDIASTINUM																					
MALE	14	4	4	9	1	0	2	1	1	0	2	2	0	1	0	0	3	0	2	0	0
SIR	1501	531	551	978	880	0	2785	1306	1154	0	1714	1908	0	732	0	0	3390	0	2152	0	0
UPPER	2538	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	813	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	6	8	4	6	1	0	0	1	0	0	0	1	0	0	0	0	0	0	0	2	0
SIR	1219	1506	720	993	1502	0	0	1856	0	0	0	1655	0	0	0	0	0	0	0	5145	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BONE AND ARTICULAR CARTILAGE																					
MALE	38	33	29	32	4	0	4	5	2	2	2	4	6	1	0	1	2	0	5	1	0
SIR	1140	1138	1034	941	954	0	1554	1630	577	763	456	999	2527	199	0	1224	621	0	1420	345	0
UPPER	1569	1601	1488	1331	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	810	786	695	646	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	22	19	28	26	4	3	2	1	4	3	0	5	2	3	4	0	4	0	3	3	1
SIR	805	848	1138	915	1232	8527	961	471	1664	1527	0	1679	1124	749	1572	0	1584	0	1082	1382	1550
UPPER	1217	1321	1646	1342	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	505	511	759	600	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CONNECTIVE & OTHER SOFT TISSUE																					
MALE	110	132	137	164	12	1	8	17	4	9	22	15	5	17	14	3	12	0	17	13	1
SIR	869	1054	1111	1146	677	454	765	1209	255	790	1209	893	500	852	1002	957	1007	0	1144	1146	200
UPPER	1052	1254	1317	1339	1191	0	0	1927	0	0	1828	1486	0	1357	1695	0	1771	0	1824	1974	0
LOWER	718	885	936	980	344	0	0	702	0	0	759	497	0	495	543	0	512	0	665	603	0
FEMALE	94	83	101	101	11	1	7	8	8	6	17	8	7	14	7	1	12	0	11	4	2
SIR	1097	929	1004	957	952	841	1015	911	814	810	1533	779	1122	1041	807	574	1541	0	1107	574	1065
UPPER	1349	1158	1226	1167	1714	0	0	0	0	0	2444	0	0	1760	0	0	2710	0	1993	0	0
LOWER	891	745	822	783	464	0	0	0	0	0	891	0	0	564	0	0	783	0	540	0	0
MELANOMA OF SKIN																					
MALE	718	731	877	1251	96	17	67	108	90	64	109	72	65	91	101	14	61	0	95	79	15
SIR	849	878	1082	1332	821	1184	983	1177	875	861	906	653	995	694	1101	680	760	0	969	1057	427
UPPER	914	944	1157	1408	1008	1887	1256	1427	1081	1107	1097	827	1276	856	1344	1150	983	0	1190	1324	710
LOWER	788	816	1012	1260	669	688	767	970	708	668	747	514	774	562	901	368	586	0	788	842	237
FEMALE	801	674	917	1200	116	18	65	113	113	82	108	108	59	102	110	19	69	0	115	64	11
SIR	902	792	1013	1177	1027	1499	943	1343	1215	1171	985	1068	964	777	1296	1095	864	0	1206	925	554
UPPER	968	855	1081	1246	1237	2361	1209	1621	1466	1461	1194	1295	1253	947	1569	1705	1101	0	1453	1189	998
LOWER	841	734	949	1112	853	887	733	1112	1006	937	812	880	740	637	1070	659	678	0	1000	718	270

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
LIP (melanoma)																					
MALE	2	2	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
SIR	2965	1677	0	825	0	0	0	0	0	0	0	0	0	0	0	54818	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	0	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	1273	935	2309	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EYELID, INCLUDING CANTHUS (melanoma)																					
MALE	1	1	2	3	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
SIR	631	604	1302	1733	0	0	0	5559	0	6956	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	3	3	2	6	0	0	2	0	1	0	1	0	0	0	0	0	0	0	1	0	0
SIR	1008	793	474	1415	0	0	8085	0	2311	0	2327	0	0	0	0	0	0	0	2520	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAR (melanoma)																					
MALE	23	23	45	47	5	1	5	4	7	3	4	4	3	2	6	4	4	0	3	1	0
SIR	768	629	1252	1212	1034	1679	1900	922	1460	926	810	866	1135	394	1645	5364	1413	0	728	362	0
UPPER	1153	944	1680	1616	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	488	400	917	894	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	8	4	8	13	4	0	1	1	1	2	3	2	0	0	2	0	0	0	4	2	0
SIR	881	399	740	1120	3144	0	1349	983	887	2452	2468	1798	0	0	2136	0	0	0	3657	2723	0
UPPER	0	0	0	1930	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	589	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNSPECIFIED PARTS OF FACE (melanoma)																					
MALE	72	87	108	143	12	0	5	11	9	8	14	10	10	9	16	3	4	0	12	11	1
SIR	868	842	1060	1312	887	0	680	897	666	875	1008	769	1347	633	1563	1442	510	0	1035	1423	348
UPPER	1099	1044	1285	1550	1560	0	0	1616	0	0	1705	1421	2490	0	2523	0	0	0	1821	2563	0
LOWER	684	679	873	1110	451	0	0	438	0	0	546	357	626	0	889	0	0	0	526	695	0
FEMALE	72	83	121	163	14	2	10	17	15	3	6	16	6	22	10	3	6	0	15	4	0
SIR	871	744	923	1301	1055	1609	1388	1506	1181	333	487	1402	869	1534	1061	1886	813	0	1287	575	0
UPPER	1104	927	1106	1521	1785	0	2566	2400	1964	0	0	2264	0	2321	1961	0	0	0	2140	0	0
LOWER	686	596	769	1113	572	0	645	875	657	0	0	798	0	963	493	0	0	0	716	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
SCALP AND NECK (melanoma)																					
MALE	61	56	74	109	6	0	3	9	9	2	10	3	3	9	7	0	6	0	9	7	2
SIR	955	802	1061	1415	626	0	554	1125	1016	320	1024	330	565	866	950	0	996	0	1119	1205	809
UPPER	1236	1049	1340	1714	0	0	0	0	0	0	1893	0	0	0	0	0	0	0	0	0	0
LOWER	737	611	839	1167	0	0	0	0	0	0	476	0	0	0	0	0	0	0	0	0	0
FEMALE	38	19	34	52	5	0	0	4	3	4	7	4	4	6	6	1	4	0	8	5	0
SIR	1053	525	868	1221	1066	0	0	1129	759	1356	1547	955	1578	1105	1708	1417	1226	0	1995	1759	0
UPPER	1448	817	1216	1615	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	748	316	604	921	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TRUNK (melanoma)																					
MALE	279	277	328	466	37	8	33	42	29	27	50	25	21	31	34	3	24	0	40	29	6
SIR	823	901	1107	1312	837	1470	1246	1283	784	982	1094	603	843	610	968	369	745	0	1084	987	407
UPPER	927	1015	1235	1438	1156	0	1754	1739	1127	1431	1455	891	1287	867	1355	0	1109	0	1480	1419	0
LOWER	731	799	992	1197	592	0	862	929	527	650	821	391	523	416	673	0	479	0	778	663	0
FEMALE	148	98	148	209	10	4	14	16	19	13	26	21	11	14	14	3	16	0	12	7	4
SIR	900	738	1069	1241	525	1885	1131	1249	1348	1161	1393	1220	1046	610	954	910	1081	0	765	558	1004
UPPER	1060	903	1259	1425	970	0	1913	2016	2100	2001	2043	1863	1884	1032	1614	0	1745	0	1346	0	0
LOWER	763	602	907	1081	244	0	613	711	812	611	913	756	511	331	517	0	615	0	389	0	0
UPPER LIMB (melanoma)																					
MALE	129	129	143	238	21	2	14	18	21	12	12	20	14	15	18	1	12	0	10	17	2
SIR	849	858	984	1415	1003	779	1151	1091	1133	901	556	1012	1198	638	1094	271	830	0	569	1269	319
UPPER	1013	1023	1162	1609	1532	0	1947	1718	1730	1584	978	1559	2027	1061	1723	0	1461	0	1052	2022	0
LOWER	712	719	832	1243	622	0	624	646	702	458	283	618	649	355	648	0	422	0	265	737	0
FEMALE	185	163	197	271	34	2	18	31	26	21	26	25	15	24	33	6	16	0	25	15	2
SIR	889	822	936	1142	1291	712	1121	1584	1200	1286	1013	1056	1050	784	1666	1484	853	0	1124	928	428
UPPER	1029	961	1079	1288	1808	0	1766	2252	1760	1963	1486	1560	1747	1166	2344	0	1377	0	1660	1543	0
LOWER	767	703	812	1012	898	0	663	1081	787	797	664	686	584	503	1151	0	486	0	729	516	0
LOWER LIMB (melanoma)																					
MALE	116	105	129	180	11	4	6	16	10	7	14	6	8	19	10	1	10	0	12	11	3
SIR	891	917	1155	1333	655	1930	588	1316	728	676	810	382	842	977	744	315	812	0	863	972	520
UPPER	1073	1114	1377	1546	1179	0	0	2125	1347	0	1370	0	0	1522	1375	0	1501	0	1519	1750	0
LOWER	739	753	968	1148	320	0	0	749	339	0	439	0	0	588	346	0	377	0	439	474	0
FEMALE	320	279	376	457	46	9	19	39	46	30	35	36	22	29	41	5	27	0	42	26	5
SIR	896	853	1113	1158	1045	1883	696	1204	1291	1112	810	906	916	561	1229	719	840	0	1135	944	615
UPPER	1001	960	1233	1270	1398	0	1084	1650	1727	1590	1129	1257	1385	807	1671	0	1224	0	1538	1384	0
LOWER	802	757	1005	1055	768	0	419	860	949	753	567	637	575	377	886	0	556	0	822	619	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
OTHER (melanoma)																					
MALE	3	5	3	4	0	0	1	0	0	0	0	0	1	0	1	0	0	0	0	1	0
SIR	973	1405	883	1075	0	0	3966	0	0	0	0	0	3971	0	2782	0	0	0	0	3576	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2	4	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
SIR	1595	2299	1034	0	0	0	0	0	0	7294	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SITE UNSPECIFIED (melanoma)																					
MALE	32	46	45	60	4	2	0	7	5	4	5	4	5	6	9	1	1	0	9	2	1
SIR	746	1032	1039	1216	651	2658	0	1400	896	1008	792	688	1461	887	1877	950	247	0	1739	521	579
UPPER	1055	1381	1394	1576	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	512	759	761	936	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	25	20	28	27	3	1	1	5	2	8	4	4	1	7	4	1	0	0	8	5	0
SIR	984	710	920	832	851	2751	488	1766	638	3521	1178	1283	532	1759	1540	2023	0	0	2644	2455	0
UPPER	1453	1094	1331	1211	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	638	434	613	550	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANUS																					
MALE	17	9	4	4	1	0	0	0	1	1	0	3	0	1	1	0	1	0	2	0	0
SIR	2125	1135	511	448	889	0	0	0	1010	1389	0	2821	0	807	1146	0	1322	0	2116	0	0
UPPER	3387	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	1235	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	7	6	17	19	1	0	1	1	1	2	0	0	1	0	2	0	0	0	0	0	0
SIR	701	580	1498	1562	747	0	1267	970	870	2335	0	0	1377	0	2023	0	0	0	0	0	0
UPPER	0	0	2387	2433	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	870	940	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE BREAST																					
MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2562	2326	2834	3534	356	25	197	315	324	198	319	291	173	330	261	42	187	1	288	196	31
SIR	1022	859	1000	1142	1046	709	1005	1148	1062	903	963	955	953	862	1041	906	830	187	982	998	598
UPPER	1063	895	1037	1181	1162	1047	1158	1284	1186	1040	1076	1073	1108	962	1177	1228	960	0	1104	1150	850
LOWER	983	825	964	1105	942	460	872	1026	951	784	861	850	818	773	920	656	717	0	873	865	408

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
MALE BREAST																					
MALE	19	25	21	26	2	0	2	0	4	2	3	3	2	1	4	1	6	0	4	3	1
SIR	927	1038	894	1011	620	0	1140	0	1272	932	907	974	1141	294	1634	2006	3094	0	1456	1607	1342
UPPER	1443	1534	1365	1482	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	558	674	554	663	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CERVIX UTERI																					
MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	332	317	256	355	30	5	21	33	20	20	32	40	19	55	26	10	34	1	37	28	7
SIR	1037	1110	854	1004	760	1155	846	1158	640	834	834	1130	879	1188	872	1586	1194	1578	1128	1136	953
UPPER	1157	1241	967	1115	1086	0	1292	1629	986	1286	1180	1543	1369	1559	1278	2932	1672	0	1558	1644	0
LOWER	930	992	754	903	514	0	525	800	391	510	573	811	529	904	571	737	830	0	798	758	0
PLACENTA																					
MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	4	1	2	7	2	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	0
SIR	908	357	654	1760	4432	0	0	0	0	0	0	2479	0	0	0	10101	0	0	2795	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BODY OF THE UTERUS																					
MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	432	463	536	569	78	2	42	65	52	46	56	44	33	66	46	9	42	1	58	40	4
SIR	1026	905	1014	1011	1283	322	1239	1238	894	1140	945	813	1027	978	1033	1149	1113	1092	1087	1177	484
UPPER	1129	992	1105	1098	1610	0	1680	1588	1181	1525	1237	1095	1445	1252	1381	0	1508	0	1415	1607	0
LOWER	933	825	931	930	1021	0	897	963	674	838	721	594	710	762	759	0	806	0	833	845	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	C U R B S U B - R E G I O N S																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
OVARY AND OTHER UTERINE ADNEXA																					
MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	329	330	382	457	52	3	26	42	40	24	38	35	23	38	26	8	26	0	47	19	3
SIR	1033	907	1007	1123	1174	656	1033	1140	977	828	878	882	973	761	795	1341	907	0	1217	747	460
UPPER	1152	1012	1115	1232	1552	0	1515	1546	1334	1232	1209	1229	1460	1047	1166	0	1329	0	1623	1164	0
LOWER	926	813	910	1023	886	0	677	826	701	532	624	617	618	541	521	0	594	0	898	450	0
VAGINA & UNSPEC FEMALE GENITALORGANS																					
MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	12	21	26	21	8	0	0	0	4	1	3	0	1	4	1	0	4	0	5	1	0
SIR	715	1015	1070	881	3117	0	0	0	1707	589	1260	0	744	1437	547	0	2684	0	2255	730	0
UPPER	1258	1549	1569	1344	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	363	629	701	546	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
VULVA																					
MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	62	64	78	79	12	0	4	8	11	6	7	8	3	6	7	0	4	1	13	8	0
SIR	1180	881	907	972	1398	0	868	1094	1333	1027	883	1085	673	651	1154	0	860	8037	1723	1804	0
UPPER	1523	1132	1138	1218	2460	0	0	0	2400	0	0	0	0	0	0	0	0	0	2968	0	0
LOWER	912	684	721	775	711	0	0	0	650	0	0	0	0	0	0	0	0	0	906	0	0
PROSTATE																					
MALE	2104	2585	2723	3375	394	40	204	430	399	242	385	386	199	312	268	49	156	0	291	157	20
SIR	1065	885	944	1140	1075	889	1081	1183	1006	945	1033	1088	1008	851	988	951	837	0	923	815	356
UPPER	1111	920	980	1179	1188	1214	1243	1302	1111	1073	1142	1203	1161	952	1116	1265	981	0	1037	955	548
LOWER	1020	851	909	1102	973	638	940	1075	910	831	933	983	875	761	875	707	713	0	821	694	217
FEMALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
TESTIS																					
MALE	173	102	120	156	18	4	17	13	9	3	14	18	10	28	16	3	18	0	9	7	4
SIR	1058	904	1041	1057	1004	1738	1385	1271	784	293	763	1096	924	1215	1055	721	1168	0	627	491	486
UPPER	1231	1102	1250	1240	1581	0	2208	2190	0	0	1290	1726	1708	1759	1703	0	1840	0	0	0	0
LOWER	909	741	867	901	594	0	805	668	0	0	413	649	430	810	600	0	691	0	0	0	0
FEMALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PENIS AND OTHER MALE GENITAL ORGANS																					
MALE	22	24	18	23	2	0	4	3	3	3	1	4	1	3	2	0	0	0	4	4	0
SIR	1163	1052	807	957	668	0	2452	1122	1008	1482	322	1383	605	939	871	0	0	0	1545	2299	0
UPPER	1759	1566	1272	1436	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	730	676	478	608	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLADDER																					
MALE	471	474	499	595	67	6	26	62	62	27	70	56	31	66	43	9	45	1	52	26	10
SIR	1222	901	969	1102	999	731	740	968	880	584	1020	865	854	964	858	923	1233	1104	901	711	824
UPPER	1339	987	1059	1196	1277	0	1085	1250	1137	851	1297	1132	1214	1234	1158	0	1655	0	1191	1043	1523
LOWER	1116	822	886	1017	780	0	485	749	681	386	801	660	582	751	623	0	903	0	680	466	383
FEMALE	145	188	216	197	25	4	8	16	16	14	19	12	9	18	9	0	8	0	12	9	0
SIR	1227	1039	1006	996	1212	2134	747	868	769	972	1001	682	848	826	624	0	766	0	653	878	0
UPPER	1448	1201	1152	1148	1790	0	0	1402	1242	1644	1559	1200	0	1300	0	0	0	0	1149	0	0
LOWER	1039	898	878	864	787	0	0	494	438	527	602	347	0	489	0	0	0	0	332	0	0
KIDNEY, PELVIS AND OTHER UNSPEC URINARY ORGANS																					
MALE	309	368	323	429	37	4	24	48	41	29	36	39	19	41	29	6	31	2	46	27	5
SIR	1017	1034	960	1138	790	691	931	1150	881	928	742	870	742	817	805	806	1072	2494	1144	979	459
UPPER	1139	1147	1072	1253	1091	0	1386	1529	1198	1335	1029	1192	1156	1112	1158	0	1524	0	1530	1425	0
LOWER	909	932	860	1034	558	0	598	852	635	624	522	621	447	589	541	0	731	0	841	647	0
FEMALE	189	235	197	267	22	1	16	19	20	13	18	21	11	26	14	2	13	0	28	8	4
SIR	1102	1103	860	1125	864	389	1123	868	824	762	734	933	813	918	751	610	844	0	1255	566	1205
UPPER	1274	1256	991	1270	1307	0	1813	1352	1271	1313	1157	1424	1465	1346	1270	0	1455	0	1815	0	0
LOWER	953	968	746	996	542	0	639	523	504	401	435	578	397	602	407	0	444	0	837	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
EYE																					
MALE	30	43	26	34	9	0	0	2	5	5	10	2	2	2	8	2	3	0	6	7	1
SIR	891	1198	772	865	1845	0	0	482	1079	1560	1978	430	739	370	2086	2409	939	0	1440	2295	798
UPPER	1275	1618	1131	1212	0	0	0	0	0	0	3657	0	0	0	0	0	0	0	0	0	0
LOWER	604	871	506	602	0	0	0	0	0	0	920	0	0	0	0	0	0	0	0	0	0
FEMALE	27	32	25	27	4	1	3	4	2	0	1	4	3	4	7	0	1	0	3	0	0
SIR	1079	1196	882	865	1170	2759	1473	1465	663	0	303	1315	1611	1013	2722	0	446	0	1022	0	0
UPPER	1571	1692	1303	1259	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	713	822	573	572	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRAIN																					
MALE	250	230	196	255	29	7	17	20	22	13	31	25	21	42	21	4	25	1	24	15	2
SIR	1081	1054	950	1025	937	1820	923	830	807	658	962	851	1206	1177	845	709	1132	1583	917	736	219
UPPER	1226	1202	1095	1161	1348	0	1471	1280	1221	1134	1368	1257	1842	1595	1289	0	1672	0	1364	1224	0
LOWER	953	925	824	905	630	0	536	507	507	346	656	552	748	852	523	0	735	0	589	409	0
FEMALE	178	153	201	206	23	6	8	23	14	18	18	23	13	22	15	5	11	0	13	13	1
SIR	1044	892	1122	1019	1030	2486	591	1326	731	1263	823	1142	1065	837	881	1442	713	0	678	944	263
UPPER	1212	1048	1291	1170	1545	0	0	1989	1237	1989	1295	1714	1835	1266	1465	0	1284	0	1168	1627	0
LOWER	899	759	975	886	655	0	0	842	396	747	487	726	560	525	490	0	348	0	356	497	0
CRANIAL NERVES, SPINAL CORD, MENINGES & UNSPEC PART																					
MALE	14	5	14	14	1	0	2	1	0	1	0	1	0	0	2	0	1	0	2	0	0
SIR	1224	519	1525	1201	694	0	2214	964	0	1110	0	739	0	0	1691	0	927	0	1663	0	0
UPPER	2070	0	2580	2031	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	663	0	827	651	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	13	7	5	10	1	0	1	1	0	0	0	2	1	2	1	0	2	0	0	0	1
SIR	1398	891	622	1026	894	0	1394	1274	0	0	0	1977	1585	1457	1145	0	2343	0	0	0	4354
UPPER	2410	0	0	1897	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	736	0	0	477	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
THYROID GLAND																					
MALE	63	38	54	68	8	0	2	6	6	5	11	7	6	4	10	3	9	0	2	4	2
SIR	1080	724	1053	1107	1051	0	433	1071	952	1058	1400	981	1387	453	1644	2096	1632	0	316	784	784
UPPER	1391	997	1385	1413	0	0	0	0	0	0	2522	0	0	0	3040	0	0	0	0	0	0
LOWER	837	515	799	866	0	0	0	0	0	0	684	0	0	0	765	0	0	0	0	0	0
FEMALE	170	130	146	192	15	0	11	13	13	8	13	7	8	21	9	1	10	1	18	5	10
SIR	1070	968	1032	1153	800	0	922	1010	913	715	706	413	774	933	627	317	698	3177	1158	410	2617
UPPER	1247	1154	1218	1331	1331	0	1661	1741	1574	0	1216	0	0	1424	0	0	1291	0	1824	0	4838
LOWER	918	812	875	998	445	0	450	531	480	0	371	0	0	578	0	0	325	0	685	0	1217

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
OTHER ENDOCRINE GLANDS																					
MALE	23	13	11	15	0	0	1	0	3	1	1	2	3	2	2	0	1	0	0	1	0
SIR	1380	1028	932	944	0	0	783	0	1923	808	488	1069	2587	811	1194	0	624	0	0	687	0
UPPER	2070	1771	1678	1569	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	877	541	455	525	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	19	9	10	11	3	0	1	1	1	0	1	1	1	1	3	0	2	0	0	1	0
SIR	1376	884	976	816	1876	0	938	953	854	0	636	677	1058	488	2310	0	1565	0	0	876	0
UPPER	2143	0	1805	1470	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	828	0	454	398	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNSPECIFIED SITE																					
MALE	381	399	406	452	44	4	18	39	65	35	61	53	24	60	45	6	34	1	64	20	6
SIR	1182	927	967	1020	798	594	620	749	1133	927	1081	998	804	1061	1088	740	1112	1301	1351	659	577
UPPER	1308	1024	1068	1119	1075	0	977	1026	1454	1292	1399	1316	1196	1376	1460	0	1558	0	1737	1016	0
LOWER	1068	839	877	929	583	0	367	535	881	648	834	755	516	817	797	0	774	0	1049	403	0
FEMALE	318	344	489	521	48	4	23	41	49	24	52	38	37	59	37	8	26	1	41	31	3
SIR	1107	809	965	1112	976	894	895	951	1004	705	1149	905	1462	1134	1077	1463	1023	1424	941	1259	636
UPPER	1238	900	1055	1213	1298	0	1343	1293	1335	1049	1519	1246	2020	1474	1488	0	1500	0	1280	1791	0
LOWER	991	727	882	1020	723	0	569	685	746	453	867	643	1034	871	761	0	671	0	678	859	0
ALL LYMPHOMAS																					
MALE	468	501	554	634	81	10	41	73	57	38	59	60	43	72	46	8	34	1	59	38	10
SIR	945	961	1096	1102	1133	1138	1004	1237	866	818	801	883	1083	911	824	656	723	790	977	854	524
UPPER	1036	1050	1192	1192	1416	2105	1365	1565	1130	1125	1041	1144	1462	1154	1102	0	1012	0	1269	1175	969
LOWER	862	879	1007	1019	905	529	723	977	662	581	615	679	787	718	606	0	503	0	750	607	244
FEMALE	407	464	533	576	54	3	33	53	45	37	51	45	23	70	33	8	37	0	48	20	4
SIR	1010	983	1026	1075	935	517	1001	1118	852	975	921	882	750	1078	778	1023	1020	0	955	610	495
UPPER	1114	1078	1118	1167	1230	0	1409	1474	1143	1347	1222	1184	1125	1370	1095	0	1409	0	1270	941	0
LOWER	915	897	942	989	709	0	692	846	624	689	693	646	476	846	538	0	721	0	707	373	0
DIFFUSE NON-HODGKIN'S LYMPHOMAS																					
MALE	284	346	371	392	55	6	23	55	33	23	39	31	33	49	27	6	21	1	37	17	10
SIR	934	1010	1112	1055	1190	1059	891	1382	746	752	821	702	1294	981	756	797	728	1329	943	614	907
UPPER	1051	1124	1232	1167	1560	0	1337	1812	1050	1127	1125	998	1822	1304	1102	0	1112	0	1302	979	1677
LOWER	830	908	1003	955	905	0	566	1051	516	478	586	479	895	729	500	0	451	0	667	357	422
FEMALE	241	310	360	384	36	3	19	33	29	21	27	32	14	49	16	6	21	0	33	12	2
SIR	985	993	1033	1099	968	820	921	1039	820	840	764	981	714	1194	594	1273	960	0	1011	593	436
UPPER	1120	1112	1147	1216	1343	0	1434	1463	1179	1282	1113	1388	1208	1588	958	0	1466	0	1423	1043	0
LOWER	867	887	930	993	681	0	554	719	551	520	505	674	387	887	338	0	595	0	699	301	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
HODGKIN'S DISEASE																					
MALE	74	50	66	84	11	2	8	4	6	7	10	12	4	9	8	1	7	0	9	9	0
SIR	934	804	1091	1121	1200	1744	1353	669	887	1279	1047	1397	746	788	1048	511	922	0	1189	1305	0
UPPER	1179	1069	1397	1395	2161	0	0	0	0	0	1935	2459	0	0	0	0	0	0	0	0	0
LOWER	738	603	850	899	586	0	0	0	0	0	487	710	0	0	0	0	0	0	0	0	0
FEMALE	57	50	49	50	6	0	5	5	0	8	3	4	2	6	2	0	5	0	4	3	2
SIR	1072	1151	1057	935	1005	0	1270	1287	0	2278	504	733	601	793	421	0	1014	0	797	717	1496
UPPER	1400	1531	1405	1243	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	820	864	785	701	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NODULAR LYMPHOMAS																					
MALE	75	78	93	105	10	2	6	9	14	5	8	13	5	10	8	1	5	0	8	9	0
SIR	909	943	1186	1137	868	1409	903	972	1344	679	672	1197	785	782	887	503	638	0	825	1243	0
UPPER	1146	1184	1460	1382	1604	0	0	0	2273	0	0	2062	0	1446	0	0	0	0	0	0	0
LOWER	720	750	962	934	403	0	0	0	728	0	0	630	0	364	0	0	0	0	0	0	0
FEMALE	83	79	93	97	11	0	5	10	15	6	15	6	6	11	13	2	10	0	10	4	0
SIR	1032	908	1015	973	1004	0	787	1134	1532	851	1413	615	1029	892	1609	1327	1381	0	1058	631	0
UPPER	1287	1138	1249	1192	1808	0	0	2096	2548	0	2349	0	0	1606	2774	0	2553	0	1957	0	0
LOWER	827	724	824	793	490	0	0	527	852	0	786	0	0	435	847	0	642	0	492	0	0
OTHER LYMPHOMAS																					
MALE	35	27	24	53	5	0	4	5	4	3	2	4	1	4	3	0	1	0	5	3	0
SIR	1184	794	726	1456	1095	0	1603	1263	909	993	427	919	401	825	861	0	358	0	1286	1119	0
UPPER	1651	1157	1080	1920	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	829	525	466	1102	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	26	25	31	45	1	0	4	5	1	2	6	3	1	4	2	0	1	0	1	1	0
SIR	1044	850	940	1341	276	0	1959	1689	301	836	1736	939	521	992	760	0	449	0	317	496	0
UPPER	1530	1255	1337	1799	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	684	552	641	982	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TUMOURS OF HISTIOCYTIC TISSUE																					
MALE	0	1	3	3	0	0	0	0	0	0	0	0	2	1	0	0	0	0	1	0	0
SIR	0	606	1837	1349	0	0	0	0	0	0	0	0	11828	2800	0	0	0	0	4234	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	2002	2496	1150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	C U R B S U B - R E G I O N S																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS																					
MALE	170	187	174	197	23	4	12	27	18	14	24	13	13	34	18	2	15	1	8	14	1
SIR	1180	1000	965	1019	956	1355	939	1200	724	855	971	562	1000	1365	994	558	1096	2768	387	1043	209
UPPER	1375	1157	1123	1174	1433	0	1652	1748	1140	1447	1445	968	1723	1912	1565	0	1823	0	0	1763	0
LOWER	1012	864	830	884	607	0	477	794	428	464	624	296	526	949	588	0	610	0	0	565	0
FEMALE	121	131	191	206	12	0	8	15	20	9	16	14	13	16	11	2	8	0	11	5	3
SIR	1096	831	1053	1194	661	0	831	933	1108	718	941	891	1378	820	855	968	812	0	683	535	1594
UPPER	1314	990	1217	1372	1164	0	0	1552	1708	0	1519	1507	2375	1324	1540	0	0	0	1229	0	0
LOWER	913	698	912	1039	336	0	0	519	677	0	535	483	725	467	417	0	0	0	333	0	0
ALL LEUKAEMIAS																					
MALE	406	399	490	522	45	10	25	65	52	50	64	52	33	73	44	8	33	0	60	19	9
SIR	1016	879	1111	1061	735	1321	730	1218	876	1222	1016	885	974	1100	927	803	869	0	1148	518	646
UPPER	1121	970	1215	1157	987	2442	1079	1563	1159	1624	1306	1170	1370	1391	1248	0	1222	0	1488	806	0
LOWER	920	796	1016	973	539	614	474	948	661	916	789	668	673	868	676	0	600	0	884	312	0
FEMALE	271	328	365	393	39	4	29	38	33	30	39	35	23	48	25	4	24	0	38	14	4
SIR	992	998	967	1041	955	987	1260	1145	882	1100	1012	977	1054	1046	836	733	975	0	1068	610	726
UPPER	1119	1113	1073	1151	1309	0	1813	1576	1241	1573	1387	1362	1580	1390	1235	0	1450	0	1469	1031	0
LOWER	879	894	872	942	682	0	847	814	610	745	723	683	669	774	543	0	626	0	759	330	0
ALL LYMPHOID LEUKAEMIAS																					
MALE	204	215	261	254	22	3	15	37	29	25	29	27	17	33	23	4	14	0	28	5	4
SIR	974	943	1200	1014	707	771	846	1379	967	1202	900	903	982	959	939	770	701	0	1051	262	561
UPPER	1120	1080	1358	1149	1069	0	1407	1905	1390	1776	1294	1315	1564	1350	1409	0	1186	0	1521	0	0
LOWER	847	823	1061	895	444	0	471	975	650	780	605	597	570	663	597	0	380	0	701	0	0
FEMALE	144	156	185	195	19	2	18	18	12	14	21	21	12	30	13	1	15	0	20	9	1
SIR	1022	939	989	1017	912	939	1508	1056	629	1002	1059	1140	1063	1260	838	347	1175	0	1100	749	343
UPPER	1206	1102	1145	1172	1420	0	2374	1664	1106	1694	1617	1740	1870	1801	1444	0	1954	0	1695	0	0
LOWER	865	800	854	881	549	0	892	625	320	543	657	706	540	853	441	0	653	0	672	0	0
ACUTE LYMPHATIC LEUKAEMIA																					
MALE	56	54	41	72	3	2	2	5	5	6	4	7	4	6	9	2	5	0	6	0	0
SIR	864	1265	986	1220	408	2092	397	1078	923	1284	519	985	895	623	1378	1236	804	0	970	0	0
UPPER	1130	1663	1340	1546	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	659	959	710	962	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	52	31	34	46	5	0	6	5	2	4	6	9	5	8	5	0	8	0	7	1	1
SIR	1009	887	927	943	851	0	1488	1379	491	1109	1033	1638	1420	1025	1018	0	1659	0	1429	229	705
UPPER	1334	1261	1297	1262	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	761	605	644	694	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
CHRONIC LYMPHATIC LEUKAEMIA																					
MALE	148	161	220	182	19	1	13	32	24	19	25	20	13	27	14	2	9	0	22	5	4
SIR	1023	869	1251	951	799	340	1024	1442	976	1179	1020	877	1012	1090	780	559	655	0	1075	373	824
UPPER	1206	1017	1431	1102	1245	0	1764	2039	1453	1836	1506	1352	1743	1587	1319	0	0	0	1627	0	0
LOWER	868	742	1094	820	481	0	539	990	627	709	662	536	532	721	422	0	0	0	675	0	0
FEMALE	92	125	151	149	14	2	12	13	10	10	15	12	7	22	8	1	7	0	13	8	0
SIR	1029	953	1005	1042	936	1421	1518	969	666	964	1070	928	901	1374	754	588	881	0	978	1048	0
UPPER	1268	1139	1182	1227	1583	0	2670	1670	1232	1783	1780	1633	0	2078	0	0	0	0	1686	0	0
LOWER	834	796	854	884	507	0	771	510	310	448	595	472	0	862	0	0	0	0	515	0	0
ALL MYELOID LEUKAEMIAS																					
MALE	164	160	185	212	19	6	8	21	21	21	26	20	11	34	19	3	15	0	29	12	4
SIR	1031	872	1026	1073	774	1989	587	983	887	1285	1031	851	810	1288	1006	755	996	0	1386	820	689
UPPER	1205	1020	1188	1231	1205	0	0	1500	1355	1961	1512	1311	1459	1803	1567	0	1657	0	1994	1442	0
LOWER	882	744	886	936	466	0	0	609	550	796	676	520	396	895	605	0	554	0	932	417	0
FEMALE	116	150	142	164	18	2	8	19	16	14	16	14	11	16	12	2	8	0	17	5	3
SIR	993	1083	887	1033	1048	1192	831	1385	1028	1236	988	931	1208	836	964	879	763	0	1139	521	1276
UPPER	1195	1275	1049	1207	1650	0	0	2157	1660	2091	1595	1575	2176	1349	1696	0	0	0	1816	0	0
LOWER	824	920	750	884	620	0	0	834	585	670	562	505	590	476	490	0	0	0	662	0	0
ACUTE MYELOID LEUKAEMIA																					
MALE	124	129	134	144	14	4	6	19	15	15	20	16	8	22	14	1	9	0	22	11	3
SIR	1081	945	996	988	772	1799	603	1184	845	1232	1075	919	801	1139	1010	349	829	0	1420	1036	741
UPPER	1294	1126	1183	1167	1305	0	0	1843	1405	2049	1657	1483	0	1724	1708	0	0	0	2148	1866	0
LOWER	903	792	837	836	418	0	0	712	470	685	657	523	0	715	547	0	0	0	892	506	0
FEMALE	87	113	105	122	14	1	7	12	12	8	14	6	8	10	9	2	5	0	13	4	3
SIR	1015	1106	888	1042	1106	809	986	1185	1046	958	1174	542	1192	708	981	1192	648	0	1182	566	1747
UPPER	1258	1335	1080	1248	1870	0	0	2085	1840	0	1985	0	0	1310	0	0	0	0	2038	0	0
LOWER	818	916	730	869	599	0	0	602	532	0	636	0	0	329	0	0	0	0	622	0	0
CHRONIC MYELOID LEUKAEMIA																					
MALE	40	31	51	68	5	2	2	2	6	6	6	4	3	12	5	2	6	0	7	1	1
SIR	902	659	1116	1315	779	2525	544	376	1015	1440	909	657	838	1691	995	1805	1429	0	1290	248	569
UPPER	1231	937	1479	1677	0	0	0	0	0	0	0	0	0	2975	0	0	0	0	0	0	0
LOWER	647	450	839	1029	0	0	0	0	0	0	0	0	0	859	0	0	0	0	0	0	0
FEMALE	29	37	37	42	4	1	1	7	4	6	2	8	3	6	3	0	3	0	4	1	0
SIR	933	1019	885	1009	885	2267	395	1948	979	2020	469	2020	1253	1192	918	0	1081	0	1018	396	0
UPPER	1341	1408	1223	1368	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	627	720	626	731	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/99) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
CHRONIC MONOCYTTIC LEUKAEMIA																					
MALE	0	1	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0
SIR	0	1270	0	1239	0	0	0	0	0	0	0	9624	0	0	0	0	0	0	11204	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	2321	1538	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER SPECIFIED LEUKAEMIAS																					
MALE	37	21	34	48	3	1	2	7	0	4	9	4	5	6	1	1	3	0	2	2	1
SIR	1350	569	914	1259	630	1741	803	1572	0	1217	1859	868	1921	1237	281	1452	1152	0	490	772	1124
UPPER	1865	869	1280	1673	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	955	353	636	932	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	9	15	31	25	2	0	3	0	5	1	2	0	0	2	0	1	1	0	1	0	0
SIR	731	788	1326	1190	914	0	2656	0	2294	654	1006	0	0	871	0	4241	918	0	515	0	0
UPPER	0	1310	1885	1758	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	438	905	772	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNSPECIFIED CELL LEUKAEMIAS																					
MALE	1	2	10	7	1	0	0	0	2	0	0	0	0	0	1	0	1	0	0	0	0
SIR	292	416	1969	1390	1582	0	0	0	3082	0	0	0	0	0	2150	0	3100	0	0	0	0
UPPER	0	0	3641	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	916	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2	7	5	8	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
SIR	689	1539	826	1552	0	0	0	2213	0	2608	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
*****TOTAL																					
MALE	11057	12467	11969	14730	1530	198	820	1669	1626	997	1670	1509	850	1737	1308	237	1073	25	1494	983	179
SIR	1058	961	956	1082	907	952	896	1083	954	876	962	932	922	977	1019	906	1082	962	1033	1015	498
UPPER	1078	978	974	1100	953	1097	960	1136	1002	932	1009	981	987	1024	1076	1031	1149	1421	1087	1081	578
LOWER	1038	944	939	1065	862	826	836	1032	908	822	917	886	862	931	965	796	1018	624	982	953	429
FEMALE	9346	9770	11413	13231	1262	125	721	1205	1190	804	1147	1087	652	1326	981	171	807	13	1164	707	119
SIR	1039	916	977	1096	968	956	981	1116	988	935	919	945	944	914	1032	999	1001	658	1027	970	668
UPPER	1060	934	996	1115	1023	1143	1056	1181	1046	1003	974	1003	1020	965	1099	1164	1073	1134	1088	1045	803
LOWER	1018	898	960	1078	916	799	911	1054	933	872	867	890	874	866	969	858	934	346	969	901	556
*****PERCENTAGE																					
MALE	16.2	18.3	17.6	21.6	2.2	0.3	1.2	2.4	2.4	1.5	2.5	2.2	1.2	2.5	1.9	0.3	1.6	0.0	2.2	1.4	0.3
FEMALE	16.3	17.1	19.9	23.1	2.2	0.2	1.3	2.1	2.1	1.4	2.0	1.9	1.1	2.3	1.7	0.3	1.4	0.0	2.0	1.2	0.2

TABLE A8

Estimated age distribution of the population, South Australia 1999.

TABLE A 8

*Estimated age distribution of the population, South Australia 1999**

<i>Age group (yrs.)</i>	<i>Males</i>	<i>Females</i>
0-4	48,173	45,851
5-9	50,952	48,308
10-14	51,657	48,985
15-19	51,453	49,377
20-24	51,472	48,583
25-29	54,400	52,369
30-34	53,745	53,085
35-39	57,955	58,463
40-44	55,500	56,141
45-49	52,687	53,699
50-54	48,768	48,986
55-59	37,191	37,231
60-64	31,230	32,457
65-69	28,726	30,506
70-74	26,787	30,505
75-79	20,033	26,939
80-84	10,481	16,960
85 and over	7,115	16,304
TOTAL	738,325	754,749

* *Australian Bureau of Statistics*

